

St. Xavier's Technical Institute, Mahim, Mumbai - 400016

The marks displayed here are for information only. The Marksheet issued will carry the actual and authentic marks.

Diploma In Electronics And Telecommunications Engineering

Exam Duration : SUMMER - 2017

Backlog Student's Results

Semester : FIRST / (Direct Second Year) FIRST

Sr. No.	SPN NO.	TOTAL MARKS OBTAINED	Percentage	REMARKS
1	1603001	484	55.31	FAIL
2	1603004	578	66.06	FIRST CLASS
3	1603005	538	61.49	FAIL
4	1603006	480	54.86	FAIL
5	1603011	410	46.86	FAIL
6	1603012	466	53.26	FAIL
7	1603014	535	61.14	FIRST CLASS CONDONATION
8	1603020	534	61.03	FIRST CLASS CONDONATION
9	1603022	367	41.94	FAIL
10	1603023	510	58.29	SECOND CLASS CONDONATION
11	1603028	527	60.23	FIRST CLASS
12	1603029	403	46.06	FAIL
13	1603033	469	53.60	FAIL
14	1603039	281	32.11	FAIL
15	1603040	478	54.63	FAIL
16	1603041	599	68.46	FIRST CLASS
17	1603042	541	61.83	FIRST CLASS
18	1603043	500	57.14	FAIL
19	1603044	449	51.31	FAIL
20	1603046	511	58.40	SECOND CLASS
21	1603049	445	50.86	FAIL
22	1603050	536	61.26	FIRST CLASS
23	1603051	505	57.71	FAIL
24	1603053	525	60.00	FIRST CLASS CONDONATION
25	1603054	472	53.94	FAIL
26	1603055	515	58.86	SECOND CLASS
27	1603057	394	45.03	FAIL
28	1603058	541	61.83	FIRST CLASS
29	1603060	474	54.17	FAIL
30	1603063	516	58.97	SECOND CLASS
31	1603064	417	47.66	FAIL
32	1603065	581	66.40	FIRST CLASS
33	1603067	500	57.14	FAIL
34	1603071	339	38.74	FAIL
35	1603072	377	43.09	FAIL
36	1603073	483	55.20	FAIL
37	1603074	COPY CASE		RESULT HELD IN RESERVE
38	1603075	490	56.00	FAIL
39	1603076	COPY CASE		RESULT HELD IN RESERVE
40	1603079	505	57.71	FAIL
41	1603080	500	57.14	SECOND CLASS CONDONATION
42	1603082	361	41.26	FAIL
43	1603084	493	56.34	FAIL
44	1603085	598	68.34	FIRST CLASS CONDONATION
45	1603086	505	57.71	SECOND CLASS CONDONATION
46	1603087	453	51.77	FAIL
47	1603088	442	50.51	FAIL
48	1603089	438	50.06	FAIL
49	1503004	461	52.69	SECOND CLASS CONDONATION
50	1503017	377	43.09	FAIL

Semester : FIRST / (Direct Second Year) FIRST

Sr. No.	SPN NO.	TOTAL MARKS OBTAINED	Percentage	REMARKS
51	1503018	456	52.11	SECOND CLASS
52	1503030	367	41.94	FAIL
53	1503035	424	48.46	FAIL
54	1503047	425	48.57	FAIL
55	1503084	498	56.91	FAIL
56	1503087	515	58.86	SECOND CLASS
57	1503110	530	60.57	FAIL
58	1503112	543	62.06	FIRST CLASS
59	1503113	508	58.06	FAIL
60	1303170	40	40.00	PASS CLASS
61	1303181	23	23.00	FAIL
62	903077	465	58.13	FAIL

Diploma In Electronics And Video Engineering

Semester : ONE (DIRECT 2nd YEAR)

Sr.	SPN NO.	TOTAL	Percentage	REMARKS
1	802076	35	35.00	FAIL

Semester : SECOND

Sr. No.	SPN NO.	TOTAL MARKS OBTAINED	Percentage	REMARKS
1	1503001	591	65.67	FIRST CLASS
2	1503004	501	55.67	FAIL
3	1503010	538+2	60.00	FIRST CLASS CONDONATION
4	1503012	462	51.33	FAIL
5	1503017	298	33.11	FAIL
6	1503018	466	51.78	SECOND CLASS
7	1503026	476	52.89	FAIL
8	1503030	340	37.78	FAIL
9	1503031	532	59.11	SECOND CLASS
10	1503035	301	33.44	FAIL
11	1503047	435	48.33	FAIL
12	1503050	504	56.00	SECOND CLASS
13	1503052	463	51.44	FAIL
14	1503061	533	59.22	FAIL
15	1503079	454	50.44	FAIL
16	1503080	349	38.78	FAIL
17	1503084	438	48.67	FAIL
18	1503087	524	58.22	SECOND CLASS CONDONATION
19	1503098	341	37.89	FAIL
20	1503103	544	60.44	FIRST CLASS
21	1503107	496	55.11	FAIL
22	1503110	544	60.44	FAIL
23	1503113	518	57.56	FAIL
24	1503117	499	55.44	SECOND CLASS
25	1503124	508	56.44	SECOND CLASS CONDONATION
26	1403028	274	31.31	FAIL
27	1403037	454	51.89	SECOND CLASS
28	1303024	330	37.71	FAIL
29	903077	484	53.78	FAIL

St. Xavier's Technical Institute, Mahim, Mumbai - 400016

The marks displayed here are for information only. The Marksheet issued will carry the actual and authentic marks.

Diploma In Electronics And Telecommunications Engineering

Exam Duration : SUMMER - 2017

Backlog Student's Results

Semester : THIRD				
Sr. No.	SPN NO.	TOTAL MARKS OBTAINED	Percentage	REMARKS
1	1503012	475	61.29	FIRST CLASS CONDONATION
2	1503020	510	65.81	FIRST CLASS
3	1503031	462	59.61	FAIL
4	1503033	549	70.84	FAIL
5	1503046	489	63.10	FIRST CLASS CONDONATION
6	1503050	479	61.81	FIRST CLASS CONDONATION
7	1503061	433	55.87	FAIL
8	1503064	529	68.26	FIRST CLASS CONDONATION
9	1503072	463+2	60.00	FIRST CLASS CONDONATION
10	1503079	476	61.42	FAIL
11	1503087	408	52.65	FAIL
12	1503100	509	65.68	FIRST CLASS
13	1503102	436	56.26	FAIL
14	1503106	530	68.39	FIRST CLASS
15	1503107	473	61.03	FIRST CLASS CONDONATION
16	1503116	491	63.35	FIRST CLASS
17	1503117	498	64.26	FIRST CLASS
18	1503151	292	37.68	FAIL
19	1503152	459	59.23	FAIL
20	1503153	226	29.16	FAIL
21	1503154	397	51.23	FAIL
22	1503155	463+2	60.00	FIRST CLASS
23	1503156	364	46.97	FAIL
24	1503157	434	56.00	FAIL
25	1503158	410	52.90	FAIL
26	1503159	465	60.00	FIRST CLASS CONDONATION
27	1503160	386	49.81	FAIL
28	1503161	494	63.74	FIRST CLASS
29	1503162	421	54.32	SECOND CLASS
30	1503163	92	11.87	FAIL
31	1503164	457	58.97	FAIL
32	1503165	470	60.65	FIRST CLASS
33	1503166	483	62.32	FAIL
34	1503167	451	58.19	FAIL
35	1503168	439	56.65	FAIL
36	1503169	433	55.87	FAIL
37	1503171	523	67.48	FIRST CLASS
38	1503172	502	64.77	FIRST CLASS
39	1503173	490	63.23	FIRST CLASS
40	1503174	472	60.90	FIRST CLASS
41	1503175	424	54.71	SECOND CLASS
42	1503176	420	54.19	FAIL
43	1503177	435	56.13	SECOND CLASS
44	1503178	427	55.10	FAIL
45	1503179	173	22.32	FAIL
46	1503180	471	60.77	FIRST CLASS
47	1503181	447	57.68	SECOND CLASS CONDONATION
48	1503183	318	41.03	FAIL
49	1503184	446	57.55	SECOND CLASS
50	1503186	401	51.74	FAIL
51	1503187	493	63.61	FIRST CLASS CONDONATION

Semester : THIRD				
Sr. No.	SPN NO.	TOTAL MARKS OBTAINED	Percentage	REMARKS
52	1503188	208	26.84	FAIL
53	1503189	409	52.77	FAIL
54	1503190	430	55.48	FAIL
55	1503191	496	64.00	FIRST CLASS CONDONATION
56	1503193	460	59.35	FAIL
57	1503194	462+3	60.00	FIRST CLASS CONDONATION
58	1503195	469	60.52	FIRST CLASS
59	1503201	439	56.65	SECOND CLASS
60	1503202	421	54.32	FAIL
61	1503203	423	54.58	FAIL
62	1503204	389	50.19	FAIL
63	1503205	344	44.39	FAIL
64	1503206	483	62.32	FIRST CLASS
65	1503209	433	55.87	FAIL
66	1503210	433	55.87	FAIL
67	1503211	532	68.65	FIRST CLASS
68	1503212	COPY CASE		RESULT HELD IN RESERVE
69	1503213	442	57.03	FAIL
70	1503214	400	51.61	FAIL
71	1503215	442	57.03	FAIL
72	1503219	437	56.39	FAIL
73	1503220	471	60.77	FAIL
74	1403054	505	65.16	FAIL
75	1403037	425	50.00	FAIL
76	1403108	446	52.47	FAIL
77	1403118	453	53.29	FAIL
78	1403124	498	58.59	SECOND CLASS CONDONATION
79	1403127	347	40.82	FAIL
80	1403128	326	38.35	FAIL
81	1403152	473	55.65	FAIL
82	1403153	402	47.29	FAIL
83	1403158	385	45.29	FAIL
84	1403162	409	48.12	FAIL
85	1403163	367	43.18	FAIL
86	1403164	379	44.59	FAIL
87	1403170	439	51.65	SECOND CLASS CONDONATION
88	1403171	353	41.53	SECOND CLASS CONDONATION
89	1403172	298	35.06	SECOND CLASS CONDONATION
90	1403180	389	45.76	SECOND CLASS CONDONATION
91	1403181	365	42.94	SECOND CLASS CONDONATION
92	1403182	348	40.94	SECOND CLASS CONDONATION
93	1403183	459	54.00	SECOND CLASS CONDONATION
94	1403184	484	56.94	SECOND CLASS
95	1403185	323	38.00	FAIL
96	1403186	383	45.06	FAIL
97	1403187	475	55.88	FAIL
98	1403190	399	46.94	FAIL
99	1403192	453	53.29	FAIL
100	1403193	320	37.65	FAIL
101	1403194	382	44.94	FAIL
102	1403195	443	52.12	SECOND CLASS

St. Xavier's Technical Institute, Mahim, Mumbai - 400016

The marks displayed here are for information only. The Marksheet issued will carry the actual and authentic marks.

Diploma In Electronics And Telecommunications Engineering

Exam Duration : SUMMER - 2017

Backlog Student's Results

Semester : THIRD

Sr. No.	SPN NO.	TOTAL MARKS OBTAINED	Percentage	REMARKS
103	1403196	430	50.59	FAIL
104	1403197	395	46.47	FAIL
105	1403198	354	41.65	FAIL
106	1403199	443	52.12	FAIL
107	1403200	434	51.06	FAIL
108	1403202	456	53.65	FAIL
109	1403203	503	59.18	SECOND CLASS CONDONATION
110	1403204	285	33.53	FAIL
111	1403205	276	32.47	FAIL
112	1303024	278	32.71	FAIL
113	1303027	388	45.65	FAIL
114	1303021	416	48.94	FAIL
115	1303118	464	54.59	FAIL
116	1303120	484	56.94	FAIL
117	1303160	450	52.94	FAIL
118	1303170	437	51.41	FAIL
119	1303171	429	50.47	FAIL
120	1303175	388	45.65	FAIL
121	1303176	296	34.82	FAIL
122	1303181	396	46.59	FAIL
123	1303186	447	52.59	FAIL
124	1003025	470	55.29	SECOND CLASS
125	1203162	441	51.88	SECOND CLASS
126	1203179	417	49.06	FAIL
127	1103060	461	54.24	FAIL
128	1003021	428	53.50	FAIL
129	1002023	407	50.88	SECOND CLASS
130	703096	334	41.75	FAIL
131	902004	433	50.94	FAIL

Semester : FOURTH

Sr. No.	SPN NO.	TOTAL MARKS OBTAINED	Percentage	REMARKS
19	1403162	550	57.89	SECOND CLASS CONDONATION
20	1403163	423	44.53	FAIL
21	1403164	501	52.74	FAIL
22	1403169	556	58.53	SECOND CLASS CONDONATION
23	1403170	532	56.00	FAIL
24	1403171	424	44.63	FAIL
25	1403172	445	46.84	FAIL
26	1403181	466	49.05	FAIL
27	1403182	388	40.84	FAIL
28	1403184	550	57.89	FAIL
29	1403185	373	39.26	FAIL
30	1403186	478	50.32	FAIL
31	1403187	548	57.68	SECOND CLASS CONDONATION
32	1403188	508	53.47	FAIL
33	1403190	471	49.58	FAIL
34	1403192	563	59.26	FAIL
35	1403193	425	44.74	FAIL
36	1403194	535	56.32	FAIL
37	1403195	556	58.53	SECOND CLASS CONDONATION
38	1403196	518	54.53	FAIL
39	1403197	385	40.53	FAIL
40	1403198	526	55.37	FAIL
41	1403199	554	58.32	SECOND CLASS
42	1403200	549	57.79	SECOND CLASS CONDONATION
43	1403202	550	57.89	FAIL
44	1403204	421	44.32	FAIL
45	1403205	432	45.47	FAIL
46	1303024	223	23.47	FAIL
47	1303027	532	56.00	SECOND CLASS CONDONATION
48	1303029	582	61.26	FIRST CLASS CONDONATION
49	1303040	594	62.53	FIRST CLASS CONDONATION
50	1303083	535	56.32	SECOND CLASS CONDONATION
51	1303118	501	52.74	FAIL
52	1303170	569+1	60.00	FIRST CLASS CONDONATION
53	1303171	453	47.68	FAIL
54	1303175	421	44.32	FAIL
55	1303176	381	40.11	FAIL
56	1303181	489	51.47	FAIL
57	1203082	544	57.26	SECOND CLASS CONDONATION
58	1103070	523	55.05	SECOND CLASS CONDONATION
59	1003025	521	54.84	SECOND CLASS CONDONATION
60	1203036	509	56.56	FAIL
61	1203109	477	53.00	FAIL
62	1203179	498	55.33	FAIL
63	1103060	470	52.22	FAIL
64	1103097	470	52.22	SECOND CLASS
65	1002023	452	50.22	SECOND CLASS
66	703096	445	55.63	FAIL

Semester : FOURTH

Sr. No.	SPN NO.	TOTAL MARKS OBTAINED	Percentage	REMARKS
1	1403001	576	60.63	FIRST CLASS
2	1403007	561	59.05	SECOND CLASS CONDONATION
3	1403012	595	62.63	FAIL
4	1403023	549	57.79	SECOND CLASS CONDONATION
5	1403025	542	57.05	SECOND CLASS CONDONATION
6	1403035	560	58.95	SECOND CLASS
7	1403037	514	54.11	SECOND CLASS
8	1403056	599	63.05	FIRST CLASS
9	1403059	594	62.53	FIRST CLASS
10	1403075	609	64.11	FIRST CLASS
11	1403108	505	53.16	FAIL
12	1403111	584	61.47	FIRST CLASS
13	1403118	509	53.58	FAIL
14	1403122	572	60.21	FIRST CLASS
15	1403127	339	35.68	FAIL
16	1403128	229	24.11	FAIL
17	1403153	437	46.00	FAIL
18	1403158	449	47.26	FAIL

St. Xavier's Technical Institute, Mahim, Mumbai - 400016

The marks displayed here are for information only. The Marksheet issued will carry the actual and authentic marks.

Diploma In Electronics And Telecommunications Engineering

Exam Duration : SUMMER - 2017


Backlog Student's Results

Semester : FIFTH

Sr. No.	SPN NO.	TOTAL MARKS	Percentage	REMARKS
1	1403012	574	62.05	FAIL
2	1403014	646+2	70.05	DISTINCTION
3	1403034	576	62.27	FIRST CLASS CONDONATION
4	1403059	603	65.19	FIRST CLASS CONDONATION
5	1403081	705	76.22	DISTINCTION
6	1403159	769	83.14	DISTINCTION
7	1403160	635	68.65	FIRST CLASS
8	1403203	602	65.08	FIRST CLASS CONDONATION
9	1303077	602	65.08	FIRST CLASS
10	1303083	562	60.76	FIRST CLASS
11	1303120	583	63.03	FIRST CLASS CONDONATION
12	1303126	565	61.08	FAIL
13	1303160	550	59.46	FAIL
14	1303171	522	56.43	FAIL
15	1303179	590	63.78	FIRST CLASS CONDONATION
16	1203036	546	59.03	FAIL
17	1203109	569	61.51	FIRST CLASS
18	1103032	538	58.16	FAIL
19	1103060	606	65.51	FAIL
20	1103070	552+3	60.00	FIRST CLASS
21	1103097	535	57.84	SECOND CLASS CONDONATION
22	902004	370	40.00	FAIL

Semester : SIXTH

Sr. No.	SPN NO.	TOTAL MARKS	Percentage	REMARKS
1	1303160	567	59.68	FAIL
2	1203036	557	58.63	FAIL
3	1203110	533	56.11	SECOND CLASS CONDONATION
4	1103070	505	53.16	FAIL
5	1103097	513	54.00	SECOND CLASS CONDONATION
6	1002023	559	58.84	SECOND CLASS
7	1002076	558	58.74	FAIL
8	902004	301	33.44	FAIL
9	902016	486	54.00	FAIL
10	703096	486	54.00	FAIL



Ms. Dipti Mestry
Controller of Examinations



Dr. S. B. Ghungrad
Principal